

CS 112 Practice Problems 2

True or False: A break statement causes us to immediately exit all loops we're currently inside of

True or False: It is impossible for a while loop to run zero times

What does the following code print?

```
counter = 0
while counter < 6:
    print("?")
    counter += 1
print(counter)
```

What does the following code print?

```
xs = [2,4,6,8]
total = 0
for i in range(len(xs)):
    total += i
print(total)
```

Implement the count_evens() function. Count_evens() returns the number of evens in the list of integers.

Examples:

```
count_evens([])      ->    0
count_evens([2,4,6,8]) ->    4
count_evens([1,2,3]) ->    1
```

```
def count_evens(x):
```

How many times is "Hello" printed for the following code?

```
for i in range(5):
    for j in range(10):
        print("Hello")
        break
```

- a) 50 times
- b) 1 time
- c) 5 times
- d) 4 times

Implement the `max_location()` function. It returns that index of the largest value in the list of integers. If the list is empty, return `None`. If the largest integer occurs multiple times, return the first occurrence's index.

Examples:

<code>max_location([])</code>	->	<code>None</code>
<code>max_location([4,10,3,10,6])</code>	->	<code>1</code>
<code>max_location([-5,-3,-1,-14])</code>	->	<code>2</code>

```
def max_location(xs):
```

What is printed by the following code?

```
width = 3
height = 2
for row in range(height):
    for column in range(width):
        print(row, column)
```

What is printed by the following code? Execution starts in the `main()` function.

```
def x(y):
    for i in range(len(y)):
        y[i] = -1

def main():
    xs = [5,3,7,2,3]
    x(xs)
    print(xs)
```

What is printed by the following code?

```
x = 0
for i in range(7):
    if i%2 == 0:
        continue
    x += i
print(x)
```

Challenge Questions Below

Attempt only if you feel extremely confident
with the material!

Implement the two functions `chartodecimal()` and `hextodecimal()`. `chartodecimal()` has a single parameter `hex_char` that represents a hexadecimal character in string format. `Chartodecimal()` returns the base 10 representation of a hexadecimal string. `Hextodecimal()` returns the base 10 representation of a hexadecimal string. It has a single parameter `hex_string`. To complete the `chartodecimal()` function, use the following information:

The base 10 equivalent of hexadecimal characters are as follows:

0=0, 1=1, 2=2,, 9=9, A=10, B=11, C=12, D=13, E=14, F=15

The `ord(c)` function returns the decimal representation of the ascii character. `c` is the character to convert.

The decimal representations of the ascii characters are as follows:

Character	Decimal
0	48
1	49
2	50
3	51
4	52
5	53
6	54
7	55
8	56
9	57
A	65
B	66
C	67
D	68
E	79
F	70

To complete the `hextostring()` function, use the following information:

The general formula to convert from base 16 to base 10 is as follows

$$\sum_{i=0}^n x * 16^i$$

Where `x` is the decimal representation of a hexadecimal character, `i` is the index, and `n` is the number of hexadecimal characters. Note that index 0 indicates the least significant hexadecimal character (rightmost character in the string)

`**` is the exponential operator

`[::-1]` is used to reverse a list

Examples:

<code>hextodecimal("E7A9")</code>	->	<code>59305</code> (14×16^3) + (7×16^2) + (10×16^1) + (9×16^0)
<code>hextodecimal("FFFF")</code>	->	<code>65535</code> (15×16^3) + (15×16^2) + (15×16^1) + (15×16^0)
<code>hextodecimal("A")</code>	->	<code>10</code> (10×16^0)

Hint -Call chartodecimal() in a loop in hexadecimal()

```
def chartodecimal(character):
```

```
def hexadecimal(hex_string):
```

Implement the function `binarytodecimal()`. `binarytodecimal()` accepts a string in binary format and returns its base 10 (decimal) equivalent). To complete the `binarytodecimal()` function, use the following information:

`**` is the exponential operator

The general formula to convert base 2 to base 10 is as follows:

$$\sum_{i=0}^n x * 2^i$$

Where x indicates if the character is 0 or 1, i indicates the index, and n represents the number of bits (characters in the string). Note that index 0 indicates the least significant bit (rightmost character in the string).

`[::-1]` is used to reverse a list

Examples:

<code>binarytodecimal("0")</code>	<code>-> 0 (0 * 2^0)</code>
<code>binarytodecimal("1111")</code>	<code>-> 15 (1 × 2³) + (1 × 2²) + (1 × 2¹) + (1 × 2⁰)</code>
<code>binarytodecimal("11011")</code>	<code>-> 27 (1 × 2⁴) + (1 × 2³) + (0 × 2²) + (1 × 2¹) + (1 × 2⁰)</code>

`def binarytodecimal(binary):`